



Rig Compressors

The most trusted brand in water-well drilling industry

ELGi

Always Better.

UPTIME[™]
ASSURANCE



CIN: L29120TZ1960PLC000351

www.elgi.com

450 - 1500 cfm / 150 - 400 psi




A Tradition of Reliability

ELGi, established in 1960, designs and manufactures a wide range of air compressors. The company has gained its reputation for design and manufacture of screw compressors through strategic partnerships and continuous research and development. Over the years, it has emerged as a multi-product, multi-market enterprise providing total compressed air solutions in all segments. ELGi's design capabilities translated into a wide range of products ranging from oil-lubricated and oil-free rotary screw compressors, reciprocating compressors and centrifugal compressors. ELGi has its own manufacturing operations in India, Italy and USA with subsidiaries in Australia, Brazil, UAE and Indonesia. The company is fast expanding its global footprint attracting distributors and customers with its latest generation products.



Robust Infrastructure

ELGi has modern manufacturing facilities equipped with advanced high precision grinding machines, turning centres and CNC horizontal and vertical machining centres. Screw airends are manufactured with the latest rotor grinding technology, coupled with measurement technology to maintain precise manufacturing tolerances. ELGi's manufacturing plants are both ISO and EOHS certified. The products are manufactured under controlled environment to ensure that its quality continues to meet the highest standards.



Innovative Technology

Screw Compressor elements are manufactured in-house using state-of-the-art machining centres for rotor grinding and machining castings of various sizes. ELGi's own eta-V profile rotors ensure energy-efficient compressed air supply for all demanding applications. ELGi is one of the few companies capable of manufacturing wide range of airends and compressor packages in the world. ELGi's patent portfolio is a testament to the company's continuous research and innovation capability.



AIR UP.

UPTIME™ comes standard on every PG Series Compressor



UPTIME Design

This speaks to the engineering and design of our products. Our R&D is dedicated to designing machines that run cooler, cleaner and longer... that are easy to service... with longer service intervals.



UPTIME Components

For so many of our customers, seeing is believing. They know a quality-built machine when they see it. That's why every part on a ELGi compressor is a quality part. From our proprietary air ends, to our use of leak-free hoses and piping.



UPTIME Assurance

Here is where we back our pledge. Our industry leading warranties, parts availability and call centers staffed by experts assure peace-of-mind to our customers.

SEEING IS BELIEVING



At ELGi, we're changing the way you look at compressed air systems.

It's no longer just about delivering air.
It's about delivering UPTIME.

From the way we design, manufacture and support the new Global Series, every aspect of our business is built on keeping yours running: smoothly, efficiently and profitably.

ELGi's Global series diesel powered portable compressors are equipped with our own industry leading energy efficient eta-V profile airends, the most robust in the entire industry. With over two decades of expertise in water-well drilling, ELGi compressors are developed to meet customer's expectations of deeper, faster and cost effective drilling. It's time tested technology and high reliability of the compressors are added benefits. The company's huge market presence and the most widespread sales and service network makes ELGi an ideal partner for the drilling industry.



Wide Spectrum



4³/₄" bores - DTH Drilling

Range: 475-650 cfm, 150-200 psig

Models: PG 475S-150, PG 500S-175, PG 600S-200, PG 600S-230
PG 650S-200

6¹/₂" and above bores - DTH Drilling

Range: 900-1500 cfm, 200-400 psig

Models: PG 900S-200, PG 900S-350, PG 1000S-275, PG 1100S-300,
PG 1200S-230, PG 1200S-Combo 350, PG 1500S-Combo 400

Designed to withstand years of heavy duty use

Energy efficient

Two-stage eta-V profile airend

Driven by energy-efficient airends, the compressor offers increased drilling efficiency and improved penetration rates. It is ideally designed to meet the demands of water-well drilling.



Reliable prime mover

International warranty engines

ELGi's rig compressors are powered by international warranty engines. They are engineered to provide better fuel-economy and low emissions, maximizing performance and providing cost benefits to the customer.



Ease of maintenance and service


Doors designed for total accessibility

Large side doors provide easy access to air filters, engine, compressor, fuel tank, batteries and cooler. Serviceable components are placed within easy reach. The compressor design thus provides ease of maintenance and reduces downtime and service cost.

User-friendly

Centralized control panel

Operators can check on the operating status using a combination of easy-to-use instruments and digital readouts on the control panel. The panel contains air pressure gauge, discharge air oil temperature gauge, hour meter, ignition start, override switches, circuit breaker, engine lube oil pressure gauge, engine water temperatures gauge and tachometer.



Increased Operational Life


Two-Stage Air Intake Filters

The filtration system in two stages prevents dust from entering into the compressor and the engine. The compressor is hence ideal for operations in dusty conditions.

Low oil carry over

Three-stage air/oil separator

Three-stage air/oil separator effectively separates oil from air. This three-stage system ensures maximum oil recovery to minimize lube oil consumption and maintenance cost.



Air delivery matched to demand

Variable capacity control

The 0-100% stepless variable capacity control reduces fuel consumption and operating costs. End use air consumption controls the opening and closing of the butterfly valve, thereby regulating inlet air suction and matching engine speed to air demand. This feature allows to save fuel and spend only for the air used.

Combo

All combo models (Dual Pressure) have been designed to provide optimal pressure for Varying depths.

Ideal for extreme environmental conditions

Robust design

ELGi rig compressor is specially designed to perform at wide ambient temperatures from hot summer to cold winter and from dry to extremely humid conditions.

Robust enclosure

Industrial grade steel and powder coated canopy

Industrial grade steel and powder coated canopy provides maximum corrosion protection and ensure longer life of the unit. The rig compressor can thus withstand the tough work site demands of water-well drilling industry.



Ensuring continuous productivity

ELGi Genuine Spares

Spares back-up

ELGi's genuine and economical spare parts help customers to keep operating costs to the minimum. With ELGi genuine spares, the issues of unexpected compressor failures and the risk of consequential damage to other vital compressor components are avoided. ELGi offers a full range of high efficiency separators, oil filter elements and airends for its compressed air equipment.



Coolant

ELGi has developed special compressor oil with good thermal and oxidation stability to ensure that the compressor continues to run smoothly

- ELGi AIRLUBE with drain interval with an assured life of 500 hours
- ELGi AIRLUBE Plus, a premium mineral oil, with drain interval of 750 hours for screw air compressors



Technical Specification

Model	Max. Free Air Delivery (Flushing)		Pressure		Engine	Overall Dimensions (LxBxH) (mm)			Dry Weight (Kgs)
	m ³ /min	cfm	kgf/cm ²	psig		Length	Width	Height ¹	

Skid Mounted Compressors

PG 475S-150	13.45	475	10.5	150	6BTA 5.9, Cummins	2782	1205	1837	1987
PG 500S-175	14.16	500	12.3	175	W06DTI, Ashok Leyland	3020	1345	1865	2225
PG 550S-200	15.57	500	14.1	200	W06DTI, Ashok Leyland	3020	1345	1865	2225
PG 600S-200	16.99	600	14.1	200	6CTA 8.3, Cummins	3115	1250	1620	2520
PG 600S-230 (Ns ²)	16.99	600	16.2	230	6CTA 8.3, Cummins	3115	1250	1620	2520
PG 600S-230 (S ³)	16.99	600	16.2	230	6CTA 8.3, Cummins	3500	1350	1773	2660
PG 650S-200	18.41	650	14.1	200	6CTA 8.3, Cummins	3250	1700	2075	2858
PG 900S-200	25.49	900	14.1	200	NTA 855BC, Cummins	4562	2287	2370	5200
PG 900S-350	25.49	900	24.6	350	NTA 855BC, Cummins	4562	2287	2370	5200
PG 1000S-275	28.32	1000	19.3	275	NTA 855BC, Cummins	4562	2287	2370	5200
PG 1100S-300	31.15	1100	21.1	300	NTA 855BC, Cummins	4800	2200	1950	4990
PG 1200S-330	33.98	1200	23.2	330	NTA 855BC, Cummins	4800	2200	1950	4990
PG 1200S-Combo 350	33.98	1200	24.6	350	NTA 855BC, Cummins	4800	2200	1950	4990
PG 1100S-350	31.15	1100	24.6	350	KTA 1150C, Cummins	4200	2100	2690	7700
PG 1500S-Combo 400	42.48	1500	28.1	400	KTTA 19C, Cummins	4750	2400	2550	6500

Note: Due to continuous engineering improvements, the specifications are subject to change without further notice

1. All dimensions are mentioned with silencer. 2. Non-Silent Version. 3. Silent Version

Compressed air solutions for all sustainable air needs



Oil-Free Series Screw
90 - 450 kW / 480 - 2515 cfm



EG Series Rotary Screw
11 - 250 kW / 47 - 1612 cfm



EN Series Rotary Screw
2.2 - 75 kW / 8.0 - 469 cfm



Electric Portable (Trolley)
22 - 75 kW / 131 - 490 cfm



Diesel portable (Trolley)
185 - 1100 cfm / 100 - 300 psi



Diesel Portable (Skid)
475 - 1500 cfm / 150 - 400 psi



Oil-free Recip
1.0 - 75 HP / 1.8 - 300 cfm



Oil-lubricated Recip
1.0 - 40 HP / 2.0 - 128 cfm

OVERSEAS OFFICES:

Bangladesh : ELGI Equipments Limited, 5th Floor, Planners Tower, Level: 5 Suite: 8-13, 13/A Bir Uttam CR Datt Road, Sonargaon, Dhaka-1000. Bangladesh.
T: 880-9671453-65, F: 880-28616148, E: bangladesh-enquiry@elgi.com

Malaysia : ELGI Equipments Limited, No 2A-4-6, Jalan Jubli Perak, 22/1, Section 22, 40400, Shah Alam, Malaysia, T: +603 55693544, F: +603-55693544,
E: malaysia-enquiry@elgi.com, W: www.elgi.com.my

Srilanka : S.G. Arcade, 2nd Floor, No.441, Sri Sangaraja Mawatha, Colombo-10, T: 00 - 94-11-2392425, F: 00-94-11-4737412. E: elgisupport@slnet.lk

Thailand : ELGI Equipments Limited, 223/66 Country Complex A 14th Floor, Sanphawut Road, Bangna Bangkok - 10260. T: +6627455160
E: thailand-enquiry@elgi.com, W: www.elgi.co.th

WHOLLY OWNED SUBSIDIARIES

Australia : ELGI Equipments Australia Pvt Ltd., 38. Richland Avenue, Coopers Plain QLD 4108 Australia. T: +61-7-3106 0589, F: +61-7-3106 0537,
E: Enquiry@elgi.com.au, W: www.elgi.com.au

Brazil : ELGI Compressores Do Brasil Ltd., Av. Emilio Checchinato, 4195 - B: Cep : 13295 - 000, Bairro: Sao Roque da Chave: Itupeva - SP, Brazil.
T: 4496 5519, 4496 6611, E: contacto@elgi.com.br, W: www.elgi.br

China : **ELGI Equipments (Zhejiang) Limited**, No.232, Yunhai Road, Economic Development Zone, Jiaxing 314033 P. R. China T: +86-573-82079100
Hotline: 400-826-3585 | **ELGI Compressors Trading (shanghai) Co. Ltd.**, Rm 909, LSHQ International Centre, 288 Hongjing Road, Shanghai 201103, P. R. China
T: +86-21-33581191 Hotline: 400-826-3585, E: enquiry.cn@elgi.com, W: www.elgi.com.cn

Indonesia : PT ELGI Equipments Indonesia, Kawasan Pergudangan, BIZPARK Commercial Estate, Pulogadung Jl. Raya Bekasi KM 21, 5 Blok A3 No. 12, Kel. Rawa Terate,
Kec. Cakung, Pulogadung Jakarta Timur 13920. T: +62-21-46822216, 46827388, E: indonesia-enquiry@elgi.com, W: www.elgi.co.id

Italy : ELGI Compressors Italy S.r.l., Rome(RM), Via Del Babuino 51, 00187 : ROTAIR Spa, Via Bernezzo 67, 12023 Caraglio (CN), Italy. T: +39 0171619676,
F: +39 0171619677, E: info@rotairspa.com

Middle East : ELGI Gulf (FZE), P.O. Box: 120695, Q4-081, SAIF Zone, Sharjah, U.A.E. T: +971 6 557 9970, F: + 971 6 557 9980, E: gulfenquiry@elgi.com

USA : ELGI Compressors USA, Inc. 1500-N Continental Blvd, Charlotte, NC 28273. T: +1-704-943-7966, M: +1-803-427-7985, W: www.elgi.us



ELGI EQUIPMENTS LIMITED

CORPORATE OFFICE: Trichy Road, Singanallur, Coimbatore - 641005,

T: +91-422-2589555, E: enquiry@elgi.com, W: www.elgi.com

Customer care mobile no.: +91 92821 11224 (SMS only)

Toll-free no: **1800-425-3544** (applicable only for India)

Ahmedabad - Ph: (91-79) 26583736, 26581274 **Bangalore** - Ph: (91-80) 22240674, 22220296, 22122479

Bhopal - Ph: (91-755) 2578281, 2578317, 4273317 **Chennai** - Ph: (91-44) 28172599, 28172699, 28173599

Coimbatore - Ph: (91-422) 2589555 **Hyderabad** - Ph: (91-40) 27000435, 27000437, 27000431

Jaipur - Ph: (91-141) 2970120 **Kochi** Ph: (91-484) 2360155 **Kolkata** - Ph: (91-33) 23244270, 23244271

Mumbai - Ph: (91-22) 42161000, 28519777 **New Delhi** - Ph: (91-11) 25437593, 25153644, 25928095

Pune - Ph: (91-20) 27145288, 27148892 **Tiruchengode** - Ph: (91-4288) 257137

Distributed by

HTA co. Exclusive distributor of ELGI diesel engine products in Iran.

For more information please contact:

Mr. Salman Gilani, Mob :0912-1364588

Email: gilani@hta-ir.com

Email: info@hta-ir.com

